

Package: ARIA (via r-universe)

October 12, 2024

Type Package

Title App for IMPACT (App foR ImpAct)

Version 2.5.0

Description App for IMPACT (App foR ImpAct).

License GPL (>= 3)

Encoding UTF-8

RoxygenNote 7.2.3

Imports shiny (>= 1.7.5.1), shinythemes (>= 1.2.0), dplyr (>= 1.1.3),
ggplot2 (>= 3.4.4), utils, DT (>= 0.30), reportIMPACT (>=
4.16.2)

Remotes IFPRI/reportIMPACT

Suggests knitr (>= 1.42), rmarkdown (>= 2.21), ARIA (>= 2.4.4)

Additional_repositories <https://ifpri.github.io/drat>

VignetteBuilder knitr

Repository <https://ifpri.r-universe.dev>

RemoteUrl <https://github.com/IFPRI/ARIA>

RemoteRef HEAD

RemoteSha 482051c7ff8ae6d5dacdba8dc0f1e2bf51b9466a

Contents

appIMPACT	2
rdsMaker	2
Index	4

appIMPACT	<i>App for IMPACT (App foR ImpAct)</i>
-----------	--

Description

App for IMPACT (App foR ImpAct)

Usage

```
appIMPACT(folder, base_year = NULL)
```

Arguments

folder	Folder path where IMPACT outputs are stored. Typically of format <model_folder>/OutputFiles/Scenarios
base_year	Base year for relative calculations. It will be calculated automatically if not provided.

Value

Fires the app for Scenarios

Author(s)

Abhijeet Mishra

Examples

```
## Not run: appIMPACT(folder = <model_folder>/OutputFiles/Scenarios)
```

rdsMaker	<i>RDS maker</i>
----------	------------------

Description

RDS maker

Usage

```
rdsMaker(folder, base_year = NULL)
```

Arguments

folder	IMPACT run output folder
base_year	Base year for which the Reporting should be run

rdsMaker

3

Examples

```
## Not run: rdsMaker(folder = <model_folder>/OutputFiles/Scenarios)
```

Index

appIMPACT, [2](#)

rdsMaker, [2](#)