

Package: KIRAN (via r-universe)

August 25, 2024

Type Package

Title Package for setting up Key IMPACT R-Archive Network suite of packages

Version 2.0.0

Description Establishes the KIRAN suite of R based packages.

License GPL (>= 3)

Encoding UTF-8

RoxygenNote 7.2.3

Imports devtools (>= 2.4.5.9000)

Suggests knitr (>= 1.42), rmarkdown (>= 2.21)

VignetteBuilder knitr

Repository <https://ifpri.r-universe.dev>

RemoteUrl <https://github.com/IFPRI/KIRAN>

RemoteRef HEAD

RemoteSha 58979d836f1295f2f04bb24f47c27b806688bcb0

Contents

scanGAMS	2
scanRtools	2
setKiran	3
setLibs	3
setRepos	4

Index	5
--------------	----------

scanGAMS

GAMS finder for windows machines

Description

GAMS finder for windows machines

Usage

```
scanGAMS()
```

Value

GAMS installation location

Examples

```
## Not run:  
scanGAMS()  
  
## End(Not run)
```

scanRtools

Rtools finder for windows machines

Description

Rtools finder for windows machines

Usage

```
scanRtools()
```

Value

Message related to Rtools check

Examples

```
## Not run:  
scanRtools()  
  
## End(Not run)
```

setKiran	<i>Install dependency packages needed needed for KIRAN suite of packages</i>
----------	--

Description

Install dependency packages needed needed for KIRAN suite of packages

Usage

```
setKiran()
```

Examples

```
## Not run:  
setKiran()  
  
## End(Not run)
```

setLibs	<i>Set user specific R library for package installation</i>
---------	---

Description

Set user specific R library for package installation

Usage

```
setLibs(export = FALSE)
```

Arguments

export If R_LIBS_USER setting should be returned

Examples

```
## Not run:  
setLibs()  
  
## End(Not run)
```

`setRepos`*Setting Repositories*

Description

Setting Repositories

Usage

```
setRepos()
```

Value

Sets IFPRI based R repositories related to IMPACT model

Examples

```
## Not run:  
setRepos()  
  
## End(Not run)
```

Index

scanGAMS, 2
scanRtools, 2
setKiran, 3
setLibs, 3
setRepos, 4